



## SEQUENCE LISTING

RECEIVED

NOV 07 2002

TECH CENTER 1600/2900

<110> Cooper, Denise R.  
Patel, Niketa A.

<120> Glucose-Regulated mRNA Instability Element

<130> USF-T135

<140> US 09/435,471

<141> 1999-11-08

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 7

<212> PRT

<213> Homo sapiens

<220>

<221> MISC\_FEATURE

<222> (1)..(7)

<223> Tyrosine phosphatase conserved active-site motif

<220>

<221> MISC\_FEATURE

<222> (2)..(6)

<223> Xaa = any amino acid residue

<400> 1

Cys Xaa Xaa Xaa Xaa Xaa Arg

1

5

<210> 2

<211> 11

<212> PRT

<213> Homo sapiens

<220>

<221> MISC\_FEATURE

<222> (1)..(11)

<223> Tyrosine phosphatase signature sequence motif

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa = Ile or Val

<220>

<221> MISC\_FEATURE

<222> (4)..(4)


<223> Xaa = any amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa = any amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa = Ser or Thr

<400> 2  
Xaa His Cys Xaa Ala Gly Xaa Gly Arg Xaa Gly  
1 5 10

<210> 3  
<211> 9  
<212> PRT  
<213> Homo sapiens

 <220>  
<221> MISC\_FEATURE  
<222> (1)..(9)  
<223> Dual-specificity phosphatase signature sequence motif

<220>  
<221> MISC\_FEATURE  
<222> (3)..(4)  
<223> Xaa = any amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (6)..(7)  
<223> Xaa = any amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa = Ser or Thr

<400> 3  
His Cys Xaa Xaa Gly Xaa Xaa Arg Xaa  
1 5

<210> 4  
<211> 33  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> PKC-Beta-I and PKC-Beta-II upstream sense primer

<400> 4  
cgtatatgcg gccgcgttgt gggcctgaag ggg

<210> 5  
 <211> 33  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PKC-Beta-I downstream antisense primer

<400> 5  
 gcattctagt cgacaagagt ttgtcagtgg gag 33

<210> 6  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Beta-globin sense primer

<400> 6  
 gcatctgtcc agtgaggaga a 21

<210> 7  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Beta-globin antisense primer

<400> 7  
 aaccagcacg ttgccagga g 21

<210> 8  
 <211> 351  
 <212> DNA  
 <213> Homo sapiens

<400> 8  
 ttttaaacca aaagcttttt gggcgaaacg ctgaaacttc gaccggtttt tcaccgcga 60  
 tccaccagtc ctaacacctc cgaccaggaa gtcacagga atattgacca atcagaattc 120  
 gaaggatttc ctttggttaac tctgaatttt taaaaccgga agtcaagagc tagtagatct 180  
 gtagacctcc gtccttcatt tctgtcattc aagctcacag ctatcatgag agacaagcga 240  
 gacacctcca acttcgacaa aagttcacca ggcagcctgt ggaactgact cccactgaca 300  
 aactctgtcg actagaatgc cctgaattct gcagatatcc atcacactgc g 351

<210> 9  
 <211> 39  
 <212> DNA  
 <213> Homo sapiens

<400> 9  
 taactctgaa tttttaaaac ccgaagtcaa gagctagta

39

<210> 10  
 <211> 300  
 <212> RNA  
 <213> Homo sapiens

<400> 10  
 uuuuaaacca aaagcuuuuu gggcgaaacg cugaaacuuc gaccgguuuu ucacccgcca 60  
 uccaccaguc cuaacaccuc cgaccaggaa gucaucagga auauugacca aucagaaauuc 120  
 gaaggauuuc cuuuguuaac ucugaauuuu uaaaacccga agucaagagc uaguagaucu 180  
 guagaccucc guccuucuu ucugucauuc aagcucacag cuaucaugag agacaagcga 240  
 gacaccucca acuucgacaa aaguucacca ggcagccugu ggaacugacu cccacugaca 300

<210> 11  
 <211> 175  
 <212> RNA  
 <213> Homo sapiens

<400> 11  
 uuuuaaacca aaagcuuuuu gggcgaaacg cugaaacuuc gaccgguuuu ucacccgcca 60  
 uccaccaguc cuaacaccuc cgaccaggaa gucaucagga auauugacca aucagaaauuc 120  
 gaaggauuuc cuuuguuaac ucugaauuuu uaaaacccga agucaagagc uagua 175

<210> 12  
 <211> 137  
 <212> RNA  
 <213> Homo sapiens

<400> 12  
 uuuuaaacca aaagcuuuuu gggcgaaacg cugaaacuuc gaccgguuuu ucacccgcca 60  
 uccaccaguc cuaacaccuc cgaccaggaa gucaucagga auauugacca aucagaaauuc 120  
 gaaggauuuc cuuuguu 137

<210> 13  
 <211> 25  
 <212> PRT  
 <213> Homo sapiens

<220>  
<221> MISC\_FEATURE  
<222> (1)..(25)  
<223> Protein kinase ATP-binding motif

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa = any amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = any amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (5)..(6)  
<223> Xaa = any amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (8)..(25)  
<223> Xaa = any amino acid residue

<400> 13  
Xaa Gly Xaa Gly Xaa Xaa Gly Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa  
20 25